



BROCHURES

YOU CARE ABOUT WATER • WE CARE ABOUT YOU

AW-1901


Direct Flow RO system
(Tankless)



Two Stages RO System

• Pearl White

• Matte Black



Smart Indicator Light
for Filter Replacement

- Blue: Filter operating normally
- Red: Filter replacement is needed

1st Stage PPC Filter:
Carbon meets NSF61 Standard
2nd Stage RO membrane:
Meets RoHS(EU) Standard



Direct Drinking



Filter virus,
bacteria & heavy metal



Pre-filtered &
RO water



Waste water ratio,
more water saving



Tankless & direct flow design,
space saving up to 60%



Twist and pull out old cartridge



Twist and push in new cartridge



TDS display
water quality



*White indicator light in
normal condition
*Red indicator light
for cartridge replacing alert
*Smart LED Display

Horizontal Cartridges
Easy Replacement


AW-600

Reverse Osmosis Hot Water Dispenser


BSMI Certified
T75223

- 
Pure & Hot 2-in-1
- 
Hot Water Control
- 
Side-pull Quick-change
- 
Child Lock
- 
Filter Auto-flush
- 
Easy Touch Panel
- 
Waste Ratio Eco-Saving

Smart Touch Faucet



5-in-1 Compound Filter

Pre-filter Functions

(PP Sediment / Activated Carbon Fiber / Pleated PP)

Filters particles, Sediment, Rust
Removes chlorine, odors

RO Membrane Functions

Filters bacteria, Antibiotics, Pesticides, Heavy metals, PFAS

- ⊗ Remove chlorine
- ⊗ Remove lead
- ✓ Anti-bacteria
- ✓ Anti-limescale

Multiple Functions Filters in Aluminum Housings



Dimension
(H)45cm x (L)28cm x (D)18cm



Dimension: (Height)37.5cm x (Diameter)7.5cm

Service life Lifespan about 2000Gallon(7570liters) or 12months (Depends on water quality, water usage & water pressure)

Highest pressure 125PSI

Inlet water temperature 2~38° C

Flow 0.5GPM



- 
TW/S105
Remove chlorine/Lead
- 
TW/H105
Remove chlorine/Lead
Anti limescale
- 
TW/SU108
Remove chlorine/Lead
Anti bacteria
- 
TW/UF588
Ultra fiber membrane filters bacteria

HY-8099 RO SYSTEM



Pure water
for
better lifestyle

Easy use
Easy installation

- Dust-proof compact design
- LED smart display
- Quick change type cartridge

5 Stages of Filters

- 1 Sediment pre-filter** lifespan 3-6mths
Remove silt, rust, colloid, solid particles & suspended impurities.
- 2-3 2-3 Coconut filters** lifespan 3-6mths
High iodine value coconut carbon to absorb chlorine, odor & color, helps improve taste of water.
- 4 RO Membrane** lifespan 1-3years
Remove virus, bacteria, lime scale, calcareous, heavy metal & organic contaminants.
- 5 Post carbon filter** lifespan 1year
Good quality coconut carbon is used to absorb micro organic particle from pressure tank.



- ✓ 90° lift up for replacement
 - ✓ Cartridge cap with water stop valve design
- Dimension: (L)35* (W)21 * (H)39 cm

NP-150 Countertop RO Water Purifier



No Electricity Required • No Drilling Needed • Easy to Carry



1 Key Features



1. No electricity required



2. No drilling installation



3. Direct-flow RO filtration



4. Compact countertop design



5. Easy twist-to-replace filter



6. Includes 2.5 L water pitcher



2 Compound Filter



1 PP Sediment Filter
helps reduce sand, rust, and suspended particles



2 Activated Carbon
helps reduce chlorine, odor, and improve taste



3 RO Membrane
filters fine impurities for purified drinking water



3 Specifications

	Model:	NP-150
	Type:	Countertop RO Water Purifier
	Power:	No electricity required
	Tank:	No storage tank needed
	Dimensions:	31.6 × 21.2 × 39.5 cm
	Accessory:	2.5 L Water Pitcher
	Material Feature:	BPA Free

4 Ideal For



Renters



Small Homes



Camping & RV Use



Spaces without built-in installation



Portable, practical, and ready for purified water anywhere.

AWJ series

AUTOMATICAL WATER SOFTENER (RED)



Soft water for gentle protection

Protect family with clean water

Anti Limescale

BENEFITS of soften water

Anti limescale
Soften water and increase life span of water heater, humidifier and other water equipment by prevent blockage and forming of limescale

Soften clothes
Better washing result, keep clothes soft and prevent color fading even washing for multiple times.

Body care & hair care
Soften hair after bathing, prevent hair from breakage and knotting.

Easy cleaning of lavatory
Prevent yellowish of bathtub, toilet and ceramic tiles.

Better result for car grooming
No limescale or water marks after car wash, good polish effect for car paint and mirrors.

AWJ-12L

AWJ-25L



LED screen display ; simple operating with few buttons



Space saving with all in one design



Low maintenance cost

AWJ-12L	
Resin capacity	12L
Dimension	48 x 33 x 60 cm
AWJ-25L	
Resin capacity	25L
Dimension	48 x 33 x 106 cm



Whole House Flushable Prefilter

Smart Automatic Flushing with Timer



A-338-4



A-338-6

- ✓ Effectively removes visible impurities such as rust, sediment, and suspended particles in water
- ** Dimensions: 15.2 × 11.2 × 29.98 (cm)
- ** Inlet/Outlet: 3/4" threaded connection



Filter-free Design



316 Stainless Steel Mesh



360° Rotating Dual-Turbine Rinse



Lead-Free Eco Brass Long Term Anti-Rust




Real-Time Water Pressure Monitoring



Monthly Reminder Setting



4.5 Tons/Hour High Flow Rate



Nano-Coated Brass Head Anti-Oxidation & No Discoloration



40-Micron Fine Filtration



AW-009

Commercial Use Program-Controlled Water Dispenser

Design for commercial use

Power Saving | Safety | Sterilize

Characteristic

- Energy saving mode**
Customize power sleep time, lower power consumption and save electricity cost
- Water Leakage detector**
Error code display when leakage happens.
- Water shortage reminder**
Boil-dry protection, Indicator light when water shortage
- Electric Leakage Protection**
Uses CNS standard circuit, cut off power when electric leakage
- Kid safety lock**
Safety lock for hot water, protect kid from danger.
- Program-controlled heat exchange system**
High temperature sterilization setting, water is boiled before turn into cold, warm & hot water, prevent Escherichia coli bacteria.

Set up time for sterilization

Auto sterilization

User could set up preference time, pipe will be sterilized by hot temperature water automatically. Bacteria such as Escherichia coli can be killed under hot temperature. Provide safety drink hot water, water dispenser will stop water flowing when temperature is below 80°C.

Microchannel heat sink (MCHS)

Power saving & More environment friendly
MCHS has smaller sizes and increases the heat transfer performance by 30%. It is more environments friendly as it could speed up heat transfer.



SGS

WHOLE HOUSE STAINLESS STEEL

ANTI BACTERIA UF WATER FILTRATION SYSTEM



Cafeteria Drinking Cooking Tea


Features

High water flow, no electric needed

Pore size between ceramic filter and RO filter, can be used to filter bacteria

Washable filter with longer lifespan

Pore Size diagram



Model	Flow rate	Dimension (Length*Width*Height)
HY-UF-1000	1000 liter/h	50*15*15cm
HY-UF-1500	1500 liter/h	57.5*15*18cm
HY-UF-2000	2000 liter/h	64*15*18cm
HY-UF-2500	2500 liter/h	74*15*18cm
HY-UF-3000	3000 liter/h	91*15*18cm
HY-UF-4000	4000 liter/h	116*15*18cm



High flow RO System (Commercial&Business Use)

Daily water production(800~9000gallon)
Suitable for different requirement



Application



School



Hospital



Hotel



Water refill station



Factory



Gardening

Model	Water production (Day)	Water flow
HY-8800G	800Gallon	125 liter/hour
HY-81500G	1500Gallon	236 liter/hour
HY-83000G	3000Gallon	472 liter/hour
HY-86000G	6000Gallon	945 liter/hour
HY-89000G	9000Gallon	1417 liter/hour

*Picture shown for reference only, exact appearance based on shipping.



Portable Straw Water Filter

Hiking , Camping , Adventure & Emergencies

Portable : With lanyard, fits pocket or backpack

Convenient : Drink directly or with built-in straw

Simple : No power, instant drink

Material : Food-grade plastic & silicone

Source : Tap water, stream, river, rainwater

•Filter Media




Blue / With Cap
Length : 18.5 cm
Diameter: 3 cm



Green / Flip Cap
Length : 19 cm
Diameter: 3 cm



PP Filter
Removes solid impurities



Carbon Filter
Removes chlorine & odor




UF Membrane
Removes bacteria & parasites




Ultrafiltration



Straw Design



Lightweight



Pore Size



Capacity

•How to Use



Drink directly



Use with built-in straw